

**TOWN OF HARVARD
CONSERVATION COMMISSION AGENDA
THURSDAY FEBRUARY 4, 2021 @7:00PM**

The Conservation Commission meeting is being held virtually in accordance with the Governor's Executive Order Suspending Certain Provisions of the Open Meeting Law, G.L.c.30A. S.20. Interested individuals can listen in and participate by phone and/or online by following the link and phone # below:

THVolGovt Pro is inviting you to a scheduled Zoom meeting.

Join Zoom Meeting

<https://us02web.zoom.us/j/88930858677?pwd=NW1sOXo0cSt3bU9lY2J2YkJqR3ZlQT09>

Meeting ID: 889 3085 8677

Passcode: 998497

One tap mobile

+13017158592,,88930858677# US (Washington DC)

+13126266799,,88930858677# US (Chicago)

Dial by your location

+1 301 715 8592 US (Washington DC)

+1 312 626 6799 US (Chicago)

Meeting ID: 889 3085 8677

Find your local number: <https://us02web.zoom.us/u/kdo03zFuT1>

New Business:

1. Request for a Certificate of Compliance – 262-264 Ayer Road, 177-530
2. Approve Invoice & Reimbursement:
 - Rob Traver, Haskell Land
3. Approve Minutes

Public Hearings:

- 7:30pm **Request for Determination of Applicability Hearing – Massachusetts Electric Company, 85 & 87 Oak Hill Road, Harvard#0121-02**, for the installation of new utility poles along the shared driveway within 100' of a wetland resource area – **Requested Waiver**
- 7:45pm **Request for Determination of Applicability Hearing – B&C Associates, Inc., 169 Littleton County Road, Harvard#0121-03**, for the removal and management of invasive plant species within the 100' buffer zone of a wetland resource area – **Requested Waiver**
- 8:00pm **Continuation of a Notice of Intent Hearing – Dan Mesnick, 94 Ayer Road, DEP#177-695, Harvard#1020-01**, for the construction of a replacement septic system within 100' of a wetland resource area – **Requested Waiver**
- 8:30pm **Continuation of a Notice of Intent after Enforcement Order Hearing – Robert DiGeronimo, 225 Bolton Road, DEP#177-698, Harvard#0121-01**, for work that includes clearing, filling, grading, the installation of footing drains and the placement of rip-rap for stabilization at the tow of the slope, all within the 100' foot wetland buffer zone

Old Business:

1. 2020 Annual Report – final approval
2. Pine Hill Village Update – Amending water quality sample dates

**NEXT MEETING:
FEBRUARY 18, 2021**

The listing of matters are those reasonably anticipated by the chair which may be discussed at the meeting. Not all items listed may in fact be discussed and other items not listed may also be brought up for discussion to the extent permitted by law.