TOWN OF HARVARD CONSERVATION COMMISSION AGENDA THURSDAY DECEMBER 17, 2020 @7:00PM

The Conservation Commission meeting is being held virtually in accordance with the Governor's Executive Order Suspending Certain Provisions of the Open Meeting Law, G.L.c.30A. S.20. Interested individuals can listen in and participate by phone and/or online by following the link and phone # below:

THVolGovt Pro is inviting you to a scheduled Zoom meeting.

Join Zoom Meeting

https://us02web.zoom.us/j/81745658248?pwd=czk5MTBIZThIZ2JNMkZ6L0g0VUQvdz09

Meeting ID: 817 4565 8248 Passcode: 626432 One tap mobile +19294362866,,81745658248# US (New York) +13017158592,,81745658248# US (Washington D.C)

Dial by your location +1 929 436 2866 US (New York) +1 301 715 8592 US (Washington D.C)

Meeting ID: 817 4565 8248

Find your local number: https://us02web.zoom.us/u/kdeBDpVUJH

New Business:

- 1. Harvard Snowmobile Club Request to Re-route Trail on Sturdy Land (7:00pm)
- 2. Interview candidates for Deer Management Subcommittee (8:30pm)
- 3. Review Letter to Select Board/Finance Committee Re: Conservation Agent Salary
- 4. Review Snake Hill Road Right of Way Notice of Intent, Town of Ayer
- 5. Review Park & Recreation Community Preservation Committee Applications
- 6. Approve Invoice Beals & Thomas, \$1,713.75
- 7. Approve Minutes

Public Hearings:

7:15pm Revisions to Code of Harvard Chapter 147 Harvard Wetland Bylaw Regulations

- 7:30pm Request for a Determination of Applicability Hearing, Harvard#1120-01, Victoria LoChiatto, 42 Old Mill Road, for the installation of a culvert and bridge within a wetland resource area -*Requested Waiver*
- 7:50pm Continuation of a Notice of Intent Hearing Dan Mesnick, 94 Ayer Road, DEP#177-695, Harvard#1020-01, for the construction of a replacement septic system within 100' of a wetland resource area – *Requested Waiver*
- 8:00pm Continuation of a Request to Amend the Order of Conditions Hearing, DEP#177-679, Harvard#0619-02 - Matthew Ellis, 62 South Shaker Road, for modifications to the existing driveway within the wetland resource area and its 100' buffer zone – *Requested Waiver*
- 8:15pm Request for a Determination of Applicability Hearing, Harbor Classic Homes, 132 Poor Farm Road, Harvard#1220-01, for clearing and installation of a geothermal well within the 100' wetland buffer zone

Old Business:

- 1. Deer Management Subcommittee Update
- 2. Update on Pine Hill Village Stow Road

NEXT SCHEDULED MEETING: JANUARY 7, 2020

The listing of matters are those reasonably anticipated by the chair which may be discussed at the meeting. Not all items listed may in fact be discussed and other items not listed may also be brought up for discussion to the extent permitted by law.